

MP Series



Tru-Test load bars are recognized for their rugged durability and performance in harsh environments.

The internal cells are made from aircraft grade aluminum and are fully sealed to keep out moisture. Heavy duty TPR/PVC cables are a standard feature, which minimize the likelihood of cable damage.

For cattle squeeze chutes Heavy Duty Load Bars or the XHD2/Extreme Load Cells should be used.

Versatile. For all animal types.

A multi-purpose load bar that can be used under alleyway platforms, cages or small animal crates.

- ✓ **Versatile. Can be temporarily installed and when used with a lightweight Tru-Test aluminum platform and can be easily transported between different weighing sites.**
- ✓ **Compatible. Can be used with any weigh scale indicator in the Tru-Test range without calibration.**
- ✓ **Corrosion resistant. Galvanised steel housing protects the bar in the tough agricultural environment.**
- ✓ **Sealed load cell. Protects the load cell against moisture damage allowing the load bars to remain outside.**
- ✓ **Easy to set up. Simply requires a firm level surface and a rigid crate or platform.**

MP Series selection guide	Feature	MP800	MP600
I want to weigh cattle in an alley under a platform	23" long 4,400 lb capacity		✓
I want to weigh sheep, goats, swine, or other small livestock	23" long 4,400 lb capacity		✓
I want to weigh deer	32" or 39" long 6,600 lb capacity	✓	
I want to weigh horses in an equine weigh system	39" long 6,600 lb capacity	✓	
I need a custom weighing solution eg: horticulture, viticulture	32" or 39" long 6,600 lb capacity	✓	

Specifications		MP800	MP600
Total capacity		6,600 lb	4,400 lb
Total nominal length		32"	23"
Bar section width		3"	3"
Overall height		3.5"	3.5"
Weight (pair, including mounting hardware)		40.8 lb	33 lb
Resolution	Fine Mode Normal	0.2 lb when used with Tru-Test weigh scale indicators. 1 lb	
Accuracy		±1% or two resolutions, whichever is greater.	

MP800†	MP600
Part No: 805123 (SAP # 880 0000-240)	Part No: 805122 (SAP # 880 0000-202)

† Not available in all countries

Although the information presented in this Product Information Sheet is believed to be accurate and reliable, no responsibility for inaccuracies can be assumed by Datamars Limited. Performance data is typical only and variations due to component manufacturing tolerances are normal. Datamars Limited reserves the right at any time to change performance characteristics or specifications without prior notice. All trademarks with an * are not owned by Datamars and belong to their respective owners.
2044TTSM02 Issue 5 09/20