





Clipping and Shearing

ukalcanada.com

Cattle and Horse Clippers Heiniger

| Xplorer Clipper | Code | Weight | Noise emission (LpAm) | Length | Motor | Speed |
|-----------------|----------------|--------|--------------------------|----------|--------------------|-------------------|
| | 100290 | 990 kg | 65 dB (A) | 310mm | 10.8 V Lithium-ion | 2450 cycles/min |
| | 1 battery | 990 Kg | 05 UB (A) | 51011111 | | 2450 Cycles/IIIII |
| | 100292 | 990 | 65 dB (A) | 310mm | 10.8 V Lithium-ion | 2450 cycles/min |
| | 2 Batteries | | | | | |
| All the second | Volorer Clippe | 01 | | | | |

Xplorer Clipper

No awkward cord means flexibility and portability during clipping. This X-Series clipper is very powerful, ergonomic, and quiet. Via the unique double tooth gear, power is transmitted optimally from the motor to the clipping head. The LED display on the charger unit indicates current charge level of battery. Up to 2 hours of clipping time per charge. 3-year warranty on battery, charger, motor, and electronics. Includes carry case, charger, screwdriver, oil, brush. comes with a 31/23 bade set.

| Xplorer Pro Clipper | Code | Weight | Battery Capacity | Length | Motor | Speed |
|---------------------|--------|--------|------------------|--------|--------------------|-------------------------|
| | 100296 | 975 g | 2850 mAh | 300 mm | 10.8 V Lithium-ion | 2450/2900 cycles/min |
| | | | | | | |



Xplorer Pro Clipper

For cattle and horses. Even more powerful than the Xplorer, the Xplorer Pro has two speeds and an integrated pressure indicator. An LED display indicates the charge level on the battery. Delivered with a carrying case including a set of 21/23 comb & cutter, instructions for use, screwdriver, cleaning brush, oil, and a charging station.

> (LpAm) 70 dB (A)

Length

301 mm

Motor

200 watts

Speed

2500 cycles/min

| Xperience Clipper | Code | Weight |
|-------------------|--|-----------------|
| | 100293 | 1,250 kg |
| Jenne Martin | Xperience Clip Full body horse a formance, sturdy | and cattle clip |

pper is the perfect balance between power and lightness. High perand lightweight. 3-year warranty on motor and electronics. Head parts must be maintained and possibly changed regularly depending on use. Delivered with carry case, 31/23 blades, screwdriver, oil, brush.

| Handy Clipper | Code | Weight | Noise emission (LpAm) | Length | Motor | Speed |
|---------------|---|---|--------------------------|--------|-----------|-----------------|
| | 100273 | 1,250 kg | 75 dB | 310 mm | 120 watts | 3200 cycles/min |
| 120 W | Handy Cattle (Equipped with a and low vibration work. delivered w | n exclusive and p ns. Light weight a | and quiet, the HEI | | | |

work. delivered with a 21/23 blade set.

3200 cycles minute, 120 Watts.

| USV Clipper | Code | Weight | Noise emission (LpAm) | Length | Motor | Speed |
|-------------|------------------|--|---|--------|-----------|-----------------|
| | 100272 | 1,530 kg | 80 dB | 310 mm | 320 watts | 2400 cycles/min |
| s20 W | and low vibratio | n exclusive and p ns. Light weight a with a 21/23 blad | patented cutting s and quiet, the HEI le set. | | | |

Cattle and Horse Clippers Heiniger

| Progress Clippers | Code | Weight | Noise emission (LpAm) | Length | Motor | Speed |
|-------------------|----------------|--------|--------------------------|--------|----------|-----------------|
| 100268 | 100268 | 930 g | (LpAm) 70 dB (A) | 280mm | 80 watts | 2200 cycles/min |
| | 100269 | 930 g | (LpAm) 70 dB (A) | 280mm | 80 watts | 2200 cycles/min |
| | Progress Clipp | er | 11 | | 1 | 1 |

Power 65 Watts

Its thin handle and lightness make this new horse machine very easy to handle. Very silent. The inclination of the head, 13°, reduces tiredness while shearing. Delivered in a sturdy case with a 31/23 blade set.

combs and cutters sets for cattle and horse

| Cattle | Cattle | Horses/Cattle | Horses/Cattle | Horses/Cattle | |
|-----------------------|------------------|---|--------------------------------|-----------------------------------|-----------------|
| 21/23 | 18/15 | 31/15 | 31/23 | 35 | |
| Beef and dairy cattle | Charolais cattle | For professionnal clipping of cattle and horses | Presentation and show clipping | Presentation and show clipping | |
| 100 244SET | 100242SET | 100 247SET | 100 240SET | | Comb and cutter |
| 100246 | | 100 247 031 | 100 247 031 | 100260 | Comb |
| 100245 | | 100 247 015 | 100 245 | | Cutter |

Setting the tension on your clipper

- 1. With the clipper turned OFF (unplugged)
- 2. Loosen the tension nut anticlockwise until the blades become loose,
- 3. Turn the tension nut clockwise until you feel the nut coming up against resistance,
- 4. Plug in your clipper, and switch the clipper on.

5. Loosen the tension nut slowly until the blades are no longer under pressure and run freely, they will start to become noisy, at this point STOP!

6. Slowly tighten the tension nut until you feel resistance and hear the sound of the blades change, (also you might hear a slight change in the sound of the motor of the clipper especially on the less powerful clipper models) at this point STOP!

7. Tighten (turn clockwise) the tension nut by a MAXIMUM of ¹/₄ to ¹/₂ a turn, your clipper blades should now be set to their BASE SETTING.

8. From there adjust as needed during clipping in no more than $\frac{1}{4}$ to $\frac{1}{2}$ turn at a time

Sheep Shearing Machines Heiniger

| Xpert Clipper | Code | Weight | Noise emission (LpAm) | Length | Motor | Speed |
|---------------|--------|----------|--------------------------|--------|-----------|-----------------|
| | 100285 | 1,180 kg | 79 dB (A) | 301mm | 200 watts | 2500 cycles/min |
| | | | | | | - |



Xpert Sheep Clipper

Power and technology are combined at the highest level in a handy, lightweight machine. The unique and innovative, strong connection between the shearing head and the fibreglass-reinforced housing ensures low vibration shearing, with an ergonomic handle design. 3-year warranty on motor and electronics. Comes with Ovina/Edge Comb & cutter set, case cleaning brush and oil.

| Xtra Clipper | Code | Weight | Noise emission (LpAm) | Length | Motor | Speed |
|--------------|--------------------------|----------|--------------------------|--------|-----------|-----------------|
| | 100268 | 1,180 kg | 79 dB (A) | 301mm | 200 watts | 2500 cycles/min |
| | XTRA sheep clipper 320 W | | | | | |



This powerful electric shearing handpiece has a patented floating fork system to provide an even pressure across the comb and cutter, this uses less pressure and extends the life of the comb and cutter by up to 50%. The motor is 320 watts and 2400 cycles/min. This powerful electric Heiniger sheep clipper comes complete with Ovina comb and Edge cutter, a durable carrying case, oil, brush, screwdriver, and manual. 3-year warranty on motor, electronics, and cord.

Professional ONE, 1 speed shearing machine

This powerful one speed shearing unit is equiped with a 230 V, 370 watt motor with 2900 cycles. It is adaptable for rigid and flexible down shafts. Compact and easy to handle thanks to its new ICON hand piece. Ideal for large flocks. Delivered with a 200 cm flexible, worm-drive axis and ICON handpiece. 100 123 001

| Power | 300 W |
|--------------|------------|
| Speed | 2950 t/min |
| Power supply | 110 V |



Professional EVO, 3 speed

The evolution of professionnal shearing! 3 speeds: 2700, 3200 and 3500 c/min. An auto-adjustable drive belt powers the transmission. It is protected by a very sturdy case made of a synthetic subs-tance reinforced by fiberglass. The professionnal clipper EVO 3 combines the powerfull mechanism, lightness and stability while being very silent. Very easy to clean and maintain. Delivered with a 200 cm flexible and the handpiece.

| WORM - DF | RIVE | 100 124 100 |
|-------------|------|----------------------|
| PIN - DRIVE | | 100 124 200 |
| | | |
| Pow | er | 300 W |
| Spe | ed | 2700/3200/3500 t/min |
| Weig | jht | 7,8 kg |



ICON CYCLONE professional handpiece for EVO and ONE

Quality Swiss made hand piece provides top professional shearing with longer working life and lower maintenance. The ICON now comes with a new ergonomical slim grip barrel, new chicken feet design and a new triple twin bearing system. Delivered without comb and cutter **PIN-DRIVE** 100 122 030 WORM-DRIVE 100 122 031

Flexible shaft for the shearing machines EVO and ONE

| Length 200 cm. | ðð |
|----------------|-------------|
| WORM-DRIVE | 100 124 101 |
| PIN-DRIVE | 100 124 201 |



Sheep Shearing Blades Heiniger

Wender ware

1.

EDGE

SJ.

| QUASAR 4 comb, right 95 mm wide with a medium bevel of 4 mm. This comb allows easy entry which in return brings high tallies in free com- bing fine wool sheep. By piece. 100 100 005 | Heritary DUARAF | | PRO BLIZZARD comb 92 mm. wide with a twin bevel. Gives optimum entry still leaving good cover on all breeds. Right. By piece. 100 100 018 | BL |
|---|--------------------|---------|--|----|
| CHARGER 3.5 Comb 92 mm wide with a 3.5 mm bevel. By piece Right 100 100 016 | Gailt | | MOHAIR comb 17 teeth, multi-purpose concave comb. It allows a cleaner cut with less drag. Ideal for goats and camels. Right. By piece. 100 100 026 | |
| PRO AWESOME 7 comb 92 mm wide with a bevel of 7 mm. Right. By piece 100 100 010 | AWESOME | | CAMELID comb This comb is specifically designed to shear llamas, alpacas, vicunas, guana- cos and camels. will leave cover of 6 to 10 mm of wool. To use with standard shearing cutter. 100C 714 025 | |
| MOUSTACHE comb PRO LEGEND 92 mm. 5 mm. Right. By piece 100 256 | | | X PRESS 6 comb 93.5 mm. 6 mm bevel. Right. By piece. 100 100 009 | |
| PRO RAPIER 7 comb 86 mm wide with a 7mm bevel. The farmer's favourite. for speedy shearing. Right. By piece 100 100 021 | RAPIER | | PRO REBEL 7 comb 92 mm. Right. By piece. 100 100 032 | |
| PRO OVINA comb | | | cutters | |
| Michael Procovina controls is 7 min widewith a 5.5 bevel. This is a multi-purposecomb. The design of this comb allowsquick and easy wool access for shearing,crutching, or dragging. Right.Box of 5Piece100 100 025Piece100 254 | Ovina | | PRO DIAMOND cutter By piece. 100 100 102 | |
| WARRIOR comb 3. 5 right By piece. 100 100 001 | | | STORM cutter By piece. 100 100 107 | |
| FREAK 6 comb 94.5 mm. 6 mm bevel. Right. By piece. 100 100 034 | ere Tan Hreak | MANANAN | EDGE cutter By piece. 100 100 108 | |
| Parts for all Heir | niger clip | opers | PRO JET cutter The Pro Jet cutter gives maximum throw for extra wide combs. Its fine points, and steeper angle give extra | |

Parts for all Heiniger clippers available at **ukal**canada.com

ukalcanada.com = 800-665-8389 = info@ukal.ca

combs. Box of 10

Piece

points, and steeper angle give extra lead and quicker cutting on thin

100 100 100

100C 100100

Grooming and Trimming Clippers Heiniger

SAPHIR trimming clippers



Professional trimmig clipper SAPHIR

- For small animals and sensitive
- parts. Quiet and powerful 35W permanent magnet motor.
- High performance battery with latest lithium ionic technologiy.
- Additional battery pack for continuous clipping.
- Solid, durable charger unit with separate charging bay for 2nd battery pack and charge indicator.
- Detachable blade system compatible with A5 blades.

Opal Two Speeds Clip





| Autonomy | 120 min | | |
|-----------------|------------|--|--|
| Motor RPM speed | 2650 t/min | | |
| Weight | 440 g | | |

Professional trimmig clipper SAPHIR STYLE

- For small animals and sensitive parts.
- Quiet and powerful 35W permanent magnet motor.
- High performance battery with latest lithium ionic technologiy.
- Solid, durable charger unit with 2 separate charging bays.
- Detachable blade system compa-

tible with A5 blades. 154 500



| Autonomy | 120 11111 | | | |
|-----------------|------------|--|--|--|
| Motor RPM speed | 2650 t/min | | | |
| Weight | 440 g | | | |

Professional trimmig

- clipper SAPHIR ROSE
- For small animals and sensitive parts.
- Quiet and powerful 35W permanent magnet motor.
- High performance battery with latest lithium ionic technologiy.
- Solid, durable charger unit with 2 separate charging bays.
- Detachable blade system compatible with A5 blades.
- 154 800



| Power | 120 V |
|-----------------|-------|
| Motor RPM speed | t/min |
| Weight | g |

Professional trimmig clipper SAPHIR CORD

- For small animals and sensitive
- parts. Quiet and powerful 35W permanent magnet motor.
- 3M of cord.
- 3200 rpm motor
- Detachable blade system compatible with A5 blades.

154 600

| opers | Code | Style | Autonomy | Weight | Speed |
|-------|----------------------|-------------|----------|--------|----------------------|
| | 154200 | 1 Battery | 240 min | 415g | 2600/3100 cycles/min |
| | 154300 | 2 Batteries | 240 min | 415g | 2600/3100 cycles/min |
| | Opal two Spee | ds Clipper | 1 | | |


The Opal is extremely quiet. It is also impressively powerful and equipped with two speed levels. With 3100 double strokes per minute in fast mode (and 2600 in slow mode), this clipper works smoothly and quickly even through dirty and thick fur and hair. The latest lithium-ion battery technology ensures cordless clipping up to 240 minutes. It takes just one hour for a full battery recharge. Thanks to the built-in battery level indicator, it is always possible to check the remaining battery time.

| Midi and Mini Trimming Clippers | Code | Style | Autonomy | Weight | Speed |
|---------------------------------|--------------|-----------|----------|--------|-----------------|
| | 154820 | MIDI | 100 min | 240 g | 4800 cycles/min |
| | 154840 | MINI | 120 min | 120 g | 5500 cycles/min |
| | Midi Trimmin | g Clipper | | | |

This trimmer is used on dogs' coats for partial shearing and contour trimming in the areas of the head, legs, belly and tail. The adjustable and foldable shearing head ensures a continuous adjustment of the cutting length, from 0.5 to 2.5 mm. The product is delivered together with 5 snap-on combs with cutting lengths of 4, 8, 12, 16 and 20 mm. Compatible with Wahl snap-on combs. Thanks to the cable adapter provided, the device may be connected at any time to a 120V mains supply.

Mini Trimming Clipper

The Style Mini allows you to shear with extreme precision your dog's paws, eyes and tail. The adjust-able snap-on comb ensures a cutting length ranging from 3 to 6 mm. This trimmer is particularly suitable for final styling. After use, the shearing head can be easily cleaned.







blades 34 cm - large model 16,5 cm Blades

29 cm - small model 14,5 cm Blades

Stainless Steel Clipping guides

Very durable, made of stainless steel. Glides through all coat types with ease. 3mm to 32mm cutting lengths. Smooth, rounded tips for snag-free clipping. Available as a 9-piece set. The attachment combs lie close on the Snap-On blade for safe and precise cutting. Ideal for #10 and #30 Snap-On blades. 9 pieces set - 3 to 32 mm 900C709990



Cool spray for combs Cools, lubricates and cleans clipper blades 100143



Universal Cissors 114025





Ukalcanada.com 7525 Avenue Pion Saint-Hyacinthe, QC J2R1R8